

## **NORTHINGTON BRUSHED**

Engineered





## **NORTHINGTON BRUSHED**



	US Units	Metric Units
Style Number	SW670	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	1/2"	11.81 mm
Nominal Width	4.94"	125.48 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	45 lbs	20.41 kg
SQFT per Carton	19.72 sq ft	1.83 sq m
SQFT per Pallet	1025.44 sq ft	95.26 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Years	
All measurements are nominal.	Cartons may include random lengths.	

#### **Features**

Northington Brushed features a rich hickory character with a subtle wire brushed texture showcased in traditional and contemporary wood tones. Also available in smooth texture, Northington Smooth.





# **NORTHINGTON BRUSHED**



### Colors



