


# PGFU24X2



|                       |                   |
|-----------------------|-------------------|
| <b>Product family</b> | Cooktop           |
| <b>Installation</b>   | Ultra-low profile |
| <b>Dimensions</b>     | 24"               |
| <b>Power supply</b>   | Gas               |
| <b>Type</b>           | Gas               |
| <b>EAN code</b>       | 8017709347437     |



## Aesthetic



|                             |                        |
|-----------------------------|------------------------|
| <b>Aesthetics</b>           | Classic                |
| <b>Color</b>                | Stainless steel        |
| <b>Finishing</b>            | Satin                  |
| <b>Material</b>             | Stainless steel        |
| <b>Stainless steel type</b> | Brushed                |
| <b>Grates</b>               | Cast iron              |
| <b>Burners material</b>     | Aluminum               |
| <b>Control setting type</b> | Control knobs          |
| <b>Controls position</b>    | Front                  |
| <b>No. of controls</b>      | 4                      |
| <b>Controls color</b>       | Stainless steel effect |
| <b>Logo</b>                 | Silkscreened           |
| <b>Silkscreen color</b>     | Black                  |

## Program / Functions

|                |   |
|----------------|---|
| <b>Burners</b> | 4 |
|----------------|---|

## Technical Features

|                          |     |                           |     |
|--------------------------|-----|---------------------------|-----|
| Left - 12000 BTU         |     |                           |     |
| Rear-center - 4000 BTU   |     |                           |     |
| Front-center - 4000 BTU  |     |                           |     |
| Right - 9000 BTU         |     |                           |     |
| <b>Gas safety valves</b> | Yes | <b>Automatic Ignition</b> | Yes |

## Accessories Included


Cast iron wok support 1

## Electrical Connection

|                     |              |                   |              |
|---------------------|--------------|-------------------|--------------|
| Nominal power       | 1 W          | Frequency         | 60 Hz        |
| Voltage             | 120 V        | Power cord length | 47 1/4 "     |
| Electric cable type | Single phase | Plug              | (B) USA 120V |

## Gas Connection

|                |                 |                            |                    |
|----------------|-----------------|----------------------------|--------------------|
| Gas Type       | G20 Natural gas | Other gas nozzles included | G30 LPG liquid gas |
| Gas connection | Cylindric       |                            |                    |



---

## Compatible Accessories

---

**6MP1PGF**

6 Linea knobs for PGF hobs



---

## Symbols glossary

---

- |                                                                                  |                                                                             |                                                                                   |                                                                      |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control                                                        |