

# SONY

## VPL-VW295ES

### 4K HDR Home Theater Projector

Big scenes are even bigger with the VW295ES 4K HDR Home Theater Projector. <sup>1</sup> Screen sizes up to 200" bring lifelike 4K HDR resolution to any room. 1,500 lumens of brightness light up the action with Motionflow™ and Advanced Reality Creation technologies creating a crisp, sharp picture in every scene. <sup>2</sup>



#### Bullets

---

- Full 4K resolution with 4096 x 2160 pixels
- Three SXRD™ imagers for full color brightness
- High Dynamic Range brings a wider contrast range for improved realism
- Motionflow™ provides smooth motion for 4K & HD
- High brightness of 1,500 Lumens
- Advanced Reality Creation for upscaling and sharpening images without sharpening picture noise<sup>2</sup>
- Input lag reduction ensures faster refresh rate for gamers
- TRILUMINOS™ Display for wider array of rich colors
- Enjoy the latest 4K content services with HDCP 2.2 compatibility on both 18 Gbps HDMI inputs<sup>4</sup>
- Anamorphic lens compatibility for 4K signals (V-stretch for 4K)

#### Features

---

##### **Native 4K resolution for lifelike pictures.**

With more than four times the resolution of Full HD, <sup>1</sup> native 4K offers 8.8 million pixels (4096 x 2160) for a picture that's so incredibly lifelike, it's like looking at the real thing.

##### **SXRD™ Imagers times 3**

Separate imagers for Red, Green and Blue channels give you all 8.8 million pixels in full, rich color at every instant

##### **HDR Compatible**

Take full advantage of the latest content produced with HDR (High Dynamic Range) for extremely wide contrast range with an even higher range of brightness levels and volume of colors.<sup>5</sup>

##### **HDR Reference Mode option**

HDR Reference Mode allows clipping for the brightest displayed pixels to create a richer gradation in bright parts of the scene and retain HDR that's true to the creator's intent.

##### **Motionflow™ provides smooth motion for 4K & HD**

On-screen action looks smoother with Motionflow™, even in 4K content. Action in movies, sports, and video games appears incredibly clear and lifelike, as if you were there in real life.

##### **High brightness and contrast (1500 lumens)**

With an impressive 1,500 lumens brightness and a wide contrast range, 4K images are clear with bright highlights and rich, deep blacks – even in well-lit rooms.

##### **Reality Creation upscales your favorites**

Upscale your existing Blu-ray Disc™ and DVD movies to near 4K quality. <sup>2</sup> The super-resolution Reality Creation 4K upscaler analyzes every pixel in any direction, then employs a digital signal processing algorithm to map pixels against an ever-evolving picture patterning database, compiled from over 10 years of expertise, to enhance colors, contrast, and textures without enhancing image artifacts. <sup>2</sup>

##### **Colors come alive with TRILUMINOS™ Display**

Discover true-to-life colors and tones. The VPL-VW295ES incorporates TRILUMINOS™ Display color, reproducing more tones and textures than a standard projector system. Hard-to-reproduce crimson reds, aqua blues, and emerald greens are displayed beautifully, so landscapes and seascapes look more vivid. Faces look better, too, with skin tones more faithfully reproduced.

# SONY

## Enjoy all types of content in 4K HDR.

Bring ultra high-definition to everything. The VPL-VW295ES can project content at up to 60 frames per second (fps) in 4K for even smoother images with superior color and realism. Both 18 Gbps HDMI inputs support HDCP 2.2 so you can enjoy more of the latest 4K content services and full resolution gaming.<sup>4</sup>

## Input lag reduction for gamers.

Reduced input lag creates a better response time between control input and on-screen action, making video games perform better than ever before. Immerse yourself in your favorite games and beat your opponent to the punch.

## Anamorphic lens compatibility for 4K signals (V-stretch for 4K)

Wide lens compatibility means that you can use your legacy anamorphic lenses with ease, even with 4K content. Watch your content in your favorite formats.

## Watch for longer with a 225 W high-pressure lamp.

Enjoy up to 6000 hours of watch time (in low mode) from a long-lasting mercury lamp. This means fewer lamp swaps, simpler maintenance, and lower running costs.

## Flexible home installation with wide zoom and shift lens

The powered zoom lens with a 2.1x zoom ratio and wide lens shift range gives greater installation flexibility in any room size, even with a high ceiling.

## Built-in 3D transmitter synchronizes entertainment

A built-in 3D transmitter synchronizes the optional glasses with the projector, so you can start watching 3D movies quicker.<sup>3</sup> Upscale 2D films to 3D and enjoy classic movies in a whole new dimension or watch anamorphic images and 3D films simultaneously without changing the lens. High-emission power gives you a strong signal anywhere in the room.

## Front-facing fan

With the fan exhaust positioned at the front of the projector, you don't need to worry about wall clearance and room for air intake/exhaust when installing. This helps maximize throw distance, for the biggest possible projected images.

## Specifications

3D Features		
3D Features	3D capability	Active
	Simulated 3D	Yes
Display		
Display	Display Technology	Display Device: SXRD 0.74" x3
	Screen Size	Projection image size: 60"-300
	Display Resolution	4096 x 2160 Display Performance (Display resolution): Up to 4096/60p
Display Features	Light source	Power: 225W Type: UHP Life: 6,000 h
	TRILUMINOS Display	Yes
General Features		
General Features	Blanking	Yes
Inputs and Outputs		

# SONY

Inputs and Outputs	HDCP	all inputs: 2.2
	HDMI™ Connection(s) (Total)	HDMI: 2 HDMI Dynamic Range: Yes HDMI Signal Format: Standard/Enhanced
	IR Input(s)	1
	RS-232C Input(s)	1 (male)
	USB	1 (for Update)
	LAN terminal	1
Operating Conditions		
Operating Conditions	Operating Humidity	%35 to 85%
	Operating Temperature	41°F to 95°F (5°C to 35°C)
	Storage Humidity	%10 to 90%
	Storage Temperature	-4°F to +140°F (-20°C to +60°C)
Optical		
Optical	Projection Lens	Powered Zoom: Powered, Zoom Ratio: x2,1 Lens shift: V: Powered Max.range @17:9: +85%/-80% H: Powered Max.range @17:9: 31%
	Throw Ratio	Wide: 1,38 Tele: 2,83
Optional Accessories		
Optional Accessories	Optional Accessories	PSS-H10 TDG-BT500A
Accessories		
Accessories	Supplied Accessories	Remote Control:RM-PJ28 (1) Size AA (R6) manganese batteries (2) AC Power cord (1) Local (ex.US/JP/CN) Operating Instruction (CD-R) (JP /US /FR/ ES/ DE/ IT/ RU/ CT/ CS) Quick Reference Manual (JP /US /FR/ ES/ DE/ IT/ RU/ CT/ CS)
Video		
Video	Brightness	Light output: 1,500 lm (2D (lm))
Video Features		
Video Features	Anamorphic	Yes
	Clear White	H/L/Off
	Color Correction	On/Off
	Color Space	BT.709/BT.2020/CS1-3/Custom
	Color Temperature	D93 /D75 /D65 /D55 /Custom1-5
	Contrast Enhancer	H/M/L/Off
	Gamma Correction	1-10 / Off
	Motionflow™ Technology	Yes (2K/4K)
	Picture Modes	9
	x.v.Color™ Technology	Yes
Power		

# SONY

Power	Power Consumption (In Operation)	High 120V: 390 W High 220V-240V: 390 W
	Power Consumption (In Standby)	Standby: 0.4 W Network Standby: 1.0 W
Power Requirements	Power Requirements	AC100-240V 50/60 Hz
Weights and Measurements		
Weights and Measurements	Dimensions (Approx.)	19 1/2 x 8 3/32, 18 1/4 (496 x 205 x 464 mm) (W x H x D) (without protrusions)
	Weight (Approx.)	31 lbs (14 kg)

1. 4096 x 2160 resolution

2. Upscaled, simulated and enhanced 4K images will vary based on source content.

3. 3D glasses (TDG-BT500A) are optional; requires 3D content, a 3D player, and an HDMI cable (at least 10.2 Gbps).

4. Requires HDMI® cable sold sep.

5. Requires HDR compatible content from supported streaming services, such as Amazon Video.

©2018 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. All screen images simulated. Sony, SXR, and Motionflow are trademarks of Sony Corporation. HDMI is a trademark of HDMI Licensing LLC. All other trademarks are trademarks of their respective owners.