



Ellenwood – PTL05



COMPLETE SPECS

Style

Ellenwood – PTL05

Color

Sand Chestnut – 423

of Colors

8

Collection

Brand

Mohawk Hard Surface

Product Type

Resilient

Sub Product Type

Resilient Vinyl Tile And Plank

Installation Method

DESIGN

Gauge

Size

7.5" X 54.34"

Surface Appearance

Construction

Resilient RPC

PERFORMANCE & SUSTAINABILITY

Wear Layer

22 mil

Technology Application

Locking System

GenuEdge®

Slip Resistance

Squareness

Classification

Size & Tolerance

Flexibility

Dimensional Stability

Residual Indentation

Resistance to Light

Resistance to Heat

Resistance to Chemicals

Smoke Density

| Non-Flame:

Critical Radiant Flux

Floor Score

Yes

Leed Certification

Recycled Content

WEIGHTS & MEASURES

Sq.Ft. / Carton

28.22

Sq.Ft. / Pallet

1693.2

Sq.Ft. / Truckload

360400

Pallets / Truckload

0

Weight / Carton

40.1

Weight / Pallet

2406.00

Weight / Truckload

42800.00

Carton Dimensions

Pallet Dimensions

W 40" X D 48"

Sq.Ft. / Piece

2.79

Pieces / Carton

10

COLORS



Maple Sapling
449



Fallen Leaf Oak
468



Nature Walk Oak
258



Mountain Ridge Oak
361



Forest Brown Oak
368



Sand Chestnut
423



Dusty Trail Oak
469



Wheat Field Oak
142