## DRYER PROGRAMS

ONTEN FROGRANIS					
No. of Dryer Programs	Dryer Programs	No. of Dryer Options	Dryer Options		
8	AI Dry, Quick Dry, Timed Dry, Bedding, Delicates, Downloaded, Heavy Duty, Normal	13	Less Time, More Time, Air Dry, Contorl Lock(3sec), Damp Signal, Dryness, Energy Saver, Remote Start(3sec), Signal(3sec), Temp., Time, Wi-Fi(3sec), Winkle Care		
Drying Levels	Manual Dry Times	Temperature Settings			
Damp / Less / Normal / More / Very	20/30/40//50/60min	Low / Med. Low / Normal / Med. High / High			
LAUNDRY APPLIANCE CAPACITY					
Capacity					
7.3 cu ft					

## **SUMMARY**

Product Color	Matching Washer	EasyLoad® Door	Dial-A-Cycle™
Alpine White (W)	WT8400CW / WT8405CW	Yes	Yes
Electronic Control Panel with LED Display	Series	Steam	Туре
Yes	LG	No	Rear Control Top Load Dryer

## **ENERGY**

٠	u	_	,,	•

CEF
































# **FABRIC CARE FEATURES** Al Sensor Dry™

Yes

^

Yes

Yes

^

Yes

Yes

**End of Cycle Signal** 

**Energy Monitoring** 

SmartDiagnosis™ (v3.0)

**All Available Colors** 

Matte Black (B) / Alpine White (W)

FlowSense™ Duct Clogging Indicator

Precise Temperature Control with Variable He	Sensor Dry

Yes

Steam Technology No

LAUNDRY APPLIANCE CONVENIENCE FEATURES

Yes

3 Minute Installation Check	4 Adjustable Legs

**Control Lock** 

**Drum Light** Yes

Yes Yes

Yes

Wrinkle Care Option

Remaining Time Display/Status Indicator(s)

**Remote Start and Cycle Monitor** 

**Reversible Door** 

Yes

Yes

Yes

Wifi

Yes

Cabinet

Painted Steel

Yes

**LoDecibel™ Quiet Operation** Yes

NFC Tag On

No

Yes

Yes

Vent Type Vented yes

**Venting Option** 

LAUNDRY APPLIANCE THINQ® SMART FEATURES

LAUNDRY A	(PPLIANCE	E THINQ®	SMART	FEATURE	ΞS

ThinQ Care™

**Aluminized Alloy Steel Drum** 

ThinQ UP™ Yes

Door / Rim

Glass / Black

Yes

**Smart Pairing** 

## MATERIALS AND FINISHES

Dryer Power Source Type	Dryer BTU Rating	Dryer Electrical Requirements	Ratings
Gas	Elec : N/A / Gas : 20,000	120V, 15 Amps (Gas) / 240V 30 Amps (Electric)	CSA Listed
△ OPTIONS/ACCESSORIES			
LP Conversion Kit	Side Venting Kit		
383EEL3002R	383EEL9001B		
↑ DIMENSIONS			
Carton (WxHxD)	Product (WxHxD)	Weight (Carton)	Weight (Product)
	Product (WxHxD)  27" x 42 3/4" x 29 1/4" (50 1/2" D with door open)	Weight (Carton) 125.6 lbs	Weight (Product) 121.3 lbs
Carton (WxHxD)	27" x 42 3/4" x 29 1/4" (50 1/2" D		
Carton (WxHxD)  29 1/8" x 45 1/2" x 31 1/2"	27" x 42 3/4" x 29 1/4" (50 1/2" D		
Carton (WxHxD)  29 1/8" x 45 1/2" x 31 1/2"  • WARRANTY & UPC	27" x 42 3/4" x 29 1/4" (50 1/2" D with door open)	125.6 lbs	

NeveRust™ Stainless Steel Drum

No

Drum Rear

Stainless Steel

POWER SOURCE