



7322 Toasted Sienna

	US Units	Metric Units
Style Number	2045V	
Construction	WPC	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.276"	7 mm
Wear Layer Thickness	12 mil (0.012")	0.3 mm
Attached Underlayment	Attached Pad	
Finish	ArmourBead®	
Edge Description	Accent Bevel	
Area per Carton	23.64 sq ft	2.2 sq m
Area per Pallet	1418.4 sq ft	131.77 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Residential Warranty	30 Years Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof Residential Resilient WPC/SPC Waterproof Products Limited Warranty	
Commercial Warranty	7 Year Light Commercial	

Colors





7064 Light Pine



7065 Ash Oak



7066 Barrel Oak



7320 Hazelnut Brown



7321 Burnt Umber



7322 Toasted Sienna

Suggested Adhesive

Style Name	Style Number
------------	--------------


Coordinating Trim



Baby Threshold*

BT7HS | 94"


VSBT1 | 94"



T-Molding*

TM7HS | 94"

VSTM6 | 94"



Multi-Purpose Reducer

RD7HS | 94"

VSMP6 | 94"



Quarter Round

QTRHS | 94"

VSQT6 | 94"





Flush Stairnose

FS6HS | 94"

VFSN3 | 94"

*Packaged with molding track

Coordinating Metal Trim



Finish

Reducer

T-Mold

Stair Cap

Satin Silver

134SA

137SA

131SA

Satin Nickel

135SA

138SA

132SA

Dark Bronze

139SA

Installation Range

Profile Size

Installation Range

3.5mm

1.5mm to 3.5mm heights

5.5mm

3.6mm to 5.5mm heights

8mm

6mm to 8mm heights

DISTINCTION PLUS

TREADZ®



Center	LVCTR
Right	LVCAR
Left	LVCAL
White Riser	LVWRI*

*packages of 3