
Assembly Instruction



Advice:
1. Power tools are suggested to be used during installation.
2. More than one person may be required to assemble this product.
3. The best advice is not tightening up any screws until the whole piece is assembled. If having difficulty aligning holes, loosen the screws already installed and readjust the armrest.
4. To avoid mess-up or mismatch, please use the hardware of each box to install the furniture in the same box.



Table


Assembly Video

Parts List


NO.	Picture	Description	QTY
T-A		Glass Top	1
T-B		Long Side Panels	2
T-C		Short Side Panels	2
T-F		L Shape Foot	4

NO.	Picture	Description	QTY
X		Screw (M6*25)	8
W		Screw (M6*30)	8
N		Washer (M6)	8
L		Allen Key	1

STEP 1




STEP 2




The best advice is not tightening up any screws until the whole piece is assembled.


STEP 3




STEP 4



STEP 5






FINISH




Assembly Instruction




Parts List

Part Number	Picture	Description	QTY
A		Cross Bar Support	1
B		Bottom Cross Base	1
C		Topcross Base	1
D		Screw (M8×16)	2
E		Screw (M8×40)	2
F		Washer	4
G		Foot Tube	1
H		Fence Torer	4
I		Fence Body	4


Part Number	Picture	Description	QTY
J		Base Cover	1
K		Sand Bag	2
L		Umbrella Body	1
M		Lower Pole	1
N		Solar Panel	1
O		Middle Light	2
P		Remote Control	1

Step 1




Place A（Cross Bar Support into B （Bottom Cross Base）, then tighten the screws


Step 2



Step 3




Step 4




Fill two k's with sand,place them on the cross metal base, and then put on J（Base Cover)

Step 5




1.Connect the solar panel wires properly,
2.then rotate the N (solar panel) clockwise to secure it.
3.Align L(umbrella body)with M（Lower pole) and rotate it clockwise to fix it inplace

Step 6




Align the umbrella pole with the base tube and install it，Finally,fasten the base bag buckle

Step 7




Turn the handle clockwise to open the umbrella, counterclockwise to close it

Step 8



Secure the locking pin

Step 9






Remote-controlled can adjust the lighting modes

Plug in the middle light wire, then rotate it clockwise,Done!

Functions of Key

When in static mode-tune brightness
Whenin dynamic mode-adjust the speed
In rhythmic mode-adjust the sensitivity




I. Download the APP

Download the "Surplife" app from the App Store and Google Play Store, or scan the QR code.

Surplife APP


II. How do I connect to Surplife App?

1) Register/log in to your Surplife account.





2) Turn on the device and enable your phone's bluetooth.


3) Enter “Surplife” app, tap “Add Device” or click “+” to add the device.



4) Rename the device and select a room for it.









III.How to use AI voice control:

Operation Guide:


1. Toggle between “Text” or “VoiceTex” mode
2. “Text Mode”: Tap to input descriptions of desired lighting effects
3. “Voice Mode”: Long-press “Hold to Talk” → Release to auto-send (Max: 60s recording)


Tip: Swipe up during recording to cancel






[Lighting Example]
User: "I want Christmas atmosphere"
→ Executed: Christmas Lighting Scenario
[Function Example]
User: "Setting"
→Executed:setting










IV.About Settings：

1) In the setting interface, you can set the IC model, color correction, number of points(Total number of points can not exceed 150 in each segment and total LED chips quantity can not exceed 2048)
2)The setting of IC number is applied to the smearing function











V.Detailed introduction of APP functions：

A) Multi color function


The color of the light can be adjusted by the whole and each segment. App provides different columns for color selection or editing, and the brightness can also be adjusted. In the segmentation interface, users can freely smear or erase the color of each segment, and also set the gradient effect.






B) Scene settings

There are Four Build-in scenes: ” Life” , “Scenery” , “Festivals” , “Mood” , and click “DIY” or “Collection” to create your favorite light effect.




C） Playlist mode

Multiple light dynamic modes built in， can set the time of lighting effects and enter cycle mode.Select different scene modes, then set the duration of each scene respectively, and play it by combining the sequence of different lighting effects.




D） Smear function

Click “+” to DIY the lighting color and dynamic effects then save it.
Before DIY, please set the number of IC in "Settings" to ensure that the number of lights is consistent with the device, Otherwise, the lighting effect is incorrect.
Before customize, please ensure that the IC number in app setting is the same as the light device, otherwise, the lighting effect will be incorrect.



E).Music Mode

1.Synchronization function of lighting and music rhythm.
Click "Add Music" > Import a music file or import it from the built-in music library.



2.MIC


The lights color will change with the sound rhythm when your phone microphone catches the sound. The microphone sensitivity can be adjusted by the slider.There are two ways to input the audio signal on the controller, built in APP microphone and external microphone(For sound control version).







F) Light timer

Smart lights automatically come on and off at given times through the timer function，choose your favorite effect and color then save it











G) Group Control

This mode allows you to create different groups to control more than one controllers at the same time.






H).Link

Setting a group for the strip lights, enjoy the linkage lighting effect. Hold and drag the device on the list to change the order and the direction.

①The grouped light strips synchronized Linkage

②The grouped light strips change sequentially



Attentions

a） Please use the product in a dry environment.b） For input voltage, please use the DC voltage within the specified range as instructed in the manual, must not connect into 220V AC directly.c） The product is requested common anode connection. The wrong connection will cause a malfunction.