

ASSEMBLY INSTRUCTIONS

ITEM NO: KIRA-WHITE-87" EU W SPKR LED

Description : Fireplace cabinet


Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment

Bluetooth Connection: Enable Bluetooth on your device and pair with **HugeSun2000-2 from the list of available devices.**


LIST OF PARTS			
No.	Description	Diagram	Quantity
A	Fireplace cabinet		1pc
B	Faux Crystal		1Box

LIST OF HARDWARE				
No.	Description	Diagram	Size	Quantity
1		Furniture tipping restraint		2 Set

Step: 1 Take out the styrofoam from back side



Step: 2 Remove the fixing two bolts on the left and right of the unit, remove the front panel and take the accessories(B) out of the Firebox..




ASSEMBLY INSTRUCTIONS

ITEM NO: KIRA-WHITE-87" EU W SPKR LED

Description : Fireplace cabinet

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment

Step: 3 Place faux crystals (B) into the electric insert (A)




Step: 4 Install the front panel.

Carefully set both hooks of the front panel in the insert.

Hooks snap down to confirm that the insert and front panel are grouped in place .

Fasten the front panel and firebox by two bolts .

Fireplace assembly completed



ASSEMBLY INSTRUCTIONS

ITEM NO: KIRA-WHITE-87" EU W SPKR LED


Description : Fireplace cabinet

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment


Step: 5 Connect the two plug (WW) and (CC) to the power cables of the LED light and speaker, then plug them into the power. Press the button on the left side of the cabinet to turn the light on/off. The speaker is connected via Bluetooth.

Steps to Connect to speaker:

1. plug in the Bluetooth speaker
2. Open Bluetooth settings on your phone
3. Search for devices: your phone will show a list of nearby devices
4. Tap the name of speaker: HugeSun2000-2
5. Confirm pairing
6. Play audio



Step: 6 Move the fireplace plug from behind the wood and plug in



ASSEMBLY INSTRUCTIONS

ITEM NO: KIRA-WHITE-87" EU W SPKR LED


Description : Fireplace cabinet

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment

- Step: 7**
1. Remove the tipping restraint hardware from product
 2. Move the unit into desired position
 3. mark the wall with a suitable scribe the position of the fixing holes.
- Warning: Before drilling, check wall for hidden pipes and cables.
4. Use the screws to secure tipping restraint hardware.

Note: To hide the straps behind the cabinet, drill the holes lower than the top of the cabinet.

PHILLIPS SCREWDRIVER
(not provided)



ELECTRIC FIREPLACE

Model No.: ZHX-42-060

Date Code: 112025

Room Heaters



Made in China

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



SEE OWNERS MANUAL FOR SERVICE DETAILS
USE ONLY ON 15 AMP BRANCH CIRCUIT.

CAUTION: RISK OF FIRE. DO NOT OPERATE UNLESS INSTALLED IN AN APPROVED CABINET.

CAUTION: HIGH TEMPERATURE, KEEP ELECTRIC CORDS, DRAPERY, AND OTHER FURNISHINGS AT LEAST 3 FEET (0.9M) FROM FRONT OF THE HEATER AND AWAY FROM THE SIDE AND REAR.

CHIMENEA ELÉCTRICA

Modelo N.º: ZHX-42-060

Código de fecha: 112025

Calefactores de habitación



Hecho en China

Este dispositivo cumple con la parte 15 de las normas de la FCC. El funcionamiento está sujeto a las siguientes dos condiciones:
(1) Este dispositivo no debe causar interferencias perjudiciales, y (2) este dispositivo debe aceptar cualquier interferencia recibida, incluida la que pueda causar un funcionamiento no deseado.



CONSULTE EL MANUAL DEL PROPIETARIO PARA OBTENER DETALLES DE SERVICIO.

UTILICE SOLO EN UN CIRCUITO DERIVADO DE 15 AMPERIOS.
PRECAUCIÓN: RIESGO DE INCENDIO. NO OPERE A MENOS QUE ESTÉ INSTALADO EN UN GABINETE APROBADO.

PRECAUCIÓN: ALTA TEMPERATURA. MANTENGA LOS CABLES ELÉCTRICOS, CORTINAS Y OTROS MUEBLES A UNA DISTANCIA MÍNIMA DE 3 PIES (0.9 M) DEL FRENTE DEL CALEFACTOR Y ALEJADOS DE LOS LADOS Y LA PARTE TRASERA.