



7052 Clay

	US Units	Metric Units
Style Number	1022V	
Construction	SPC	
Profile	Fold-N-Tap	
Size	12" x 24"	30.48 cm x 60.96 cm
Overall Thickness	0.217"	5.5 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment	EVA Pad	
Attached Underlayment Thickness	0.059"	1.5 mm
Finish	ScuffResist	
Edge Description	Accent Bevel	
Area per Carton	15.83 sq ft	1.47 sq m
Area per Pallet	1139.76 sq ft	105.89 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Color Variation	Yes	
Residential Warranty	Lifetime	
	Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof	
Commercial Warranty	10 Year Light Commercial	

Features

Paragon Tile Plus features 100% waterproof 12" x 24" tiles built to endure stains, scuffs, spills and dents from high traffic and extreme conditions. Plus, it save you time and money on easy installation with no messy grout, adhesives or subfloor prep —simply install and live on in the same day. All Paragon Tile Plus styles come with ScufResist Platinum® finish and attached Soft Silence® acoustical pad.

Colors





1125 Bone



5062 Cobalt



5064 Pearl



5131 Dolomite



5134 Obsidian



6015 Gypsum



6019 Jordan




7052 Clay

Suggested Adhesive

Style Name	Style Number
Shaw T-180 (4 gal)	

Coordinating Trim




Baby Threshold*

BT3HS | 94"
VSBTH | 94"



T-Molding*

TM3HS | 94"
VSTM6 | 94"



Multi-Purpose Reducer

VSMP6 | 94"



Quarter Round

VSQT6 | 94"




Flush Stairnose

VFSN1 | 94"

*Packaged with molding track

Coordinating Metal Trim



Finish	Reducer	T-Mold	Stair Cap
Satin Silver	143SA	146SA	140SA
Satin Nickel	144SA	147SA	141SA
Dark Bronze	145SA	142SA	

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

TREADZ®



Center	
Right	
Left	
White Riser	*

*packages of 3