Cushion Recovery Notice

For convenient packaging, the seat cushions, back cushions, and ottoman pads have been vacuum-compressed. After unpacking, please allow 5 to 7 days for them to fully expand and regain their original shape. Gently patting or fluffing the cushions can help speed up the recovery process. which typically takes between 72 hours and one week.





Back Cushion







Seat Cushion






Ottoman Cushion


Parts List

	Picture	Description	QTY
A		Seat Frame	1
B		Backrest-1	1
C		Backrest-2	1
D		Seat Cushion	1
E		Back Cushion	1

	Picture	Description	QTY
F		Armrest Cushion	1
G		Sofa Leg	4
H		Screw	8
I		Allen Key	1
J		Sofa Clip	2


Note

STEP 1




Take all items out


Unzip and open the velcro,cushions, backrests and hardwares are packed inside the seat frame as picture shown.




Sofa Leg*4




Hardware: Allen Key*1
Screw*8




Seat Cushion*1




Backrest-1*1




Backrest-2*1



Back Cushion*1




Armrest Cushion*1




Sofa Clip*2

STEP 2




Install all the Sofa Legs

STEP 3



Install the Backrest-1

STEP 4




Instal the Backrest-2

Important Notes:
During installation of backrest, ensure that both mounting hardware should be aligned with their slots.Apply even and firm pressure on both sides at the same time to snap the fittings securely into place.A certain amount of force may be required for proper engagement.

Warning: If one side is installed first, the other side cannot be properly inserted, which may result in improper installation or damage to the parts.


STEP 5

When installing the sofa clips, please ensure that the two sofa sections are tightly aligned.
Once properly positioned, attach the connector.
Note: It is normal that the fit may be tight during installation to ensure stability.



The holes on A are to be connected to other sofas using J(sofa clips)

FINISH



Put on Seat and Back Cushion

Cushion Recovery Notice

For convenient packaging, the seat cushions, back cushions, and ottoman pads have been vacuum-compressed. After unpacking, please allow 5 to 7 days for them to fully expand and regain their original shape. Gently patting or fluffing the cushions can help speed up the recovery process. which typically takes between 72 hours and one week.





Back Cushion






Seat Cushion






Ottoman Cushion


Parts List

Part Number	Picture	Description	QTY
A		Seat Frame	1
B		Seat Cushion	1
C		Sofa Leg	4


Part Number	Picture	Description	QTY
D		Screw	8
E		Allen Key	1

Note


STEP 1




Take all items out



Sofa Leg*4




Hardware: Allen Key*1
Screw*8



Seat Cushion*1


Unzip and open the velcro,cushions, backrests and hardwares are packed inside the seat frame as picture shown.

STEP 2



Install all the Sofa Legs

STEP 3



Put on the Seat Cushion

Cushion Recovery Notice

For convenient packaging, the seat cushions, back cushions, and ottoman pads have been vacuum-compressed. After unpacking, please allow 5 to 7 days for them to fully expand and regain their original shape. Gently patting or fluffing the cushions can help speed up the recovery process. which typically takes between 72 hours and one week.





Back Cushion







Seat Cushion






Ottoman Cushion


Parts List

Part Number	Picture	Description	QTY
A		Seat Frame	1
B		Backrest	1
C		Seat Cushion	1
D		Back Cushion	1

Part Number	Picture	Description	QTY
E		Sofa Leg	4
F		Screw	8
G		Allen Key	1
H		Sofa Clip	2


Note

STEP 1




Take all items out


Unzip and open the velcro,cushions, backrests and hardwares are packed inside the seat frame as picture shown.




Sofa Leg*4



Hardware: Allen Key*1
Screw*8




Back Cushion*1



Backrest*1




Sofa Clip*2



Seat Cushion*1

STEP 2




Install all the Sofa Legs

STEP 3

Important Notes:
During installation of backrest, ensure that both mounting hardware should be aligned with their slots.Apply even and firm pressure on both sides at the same time to snap the fittings securely into place.A certain amount of force may be required for proper engagement.


Warning: If one side is installed first, the other side cannot be properly inserted, which may result in improper installation or damage to the parts.



Install the Backrest


STEP 4

When installing the sofa clips, please ensure that the two sofa sections are tightly aligned.
Once properly positioned, attach the connector.
Note: It is normal that the fit may be tight during installation to ensure stability.



The holes on A are to be connected to other sofas using H(sofa clips)

FINISH



Put on Seat and Back Cushion