




500 Grey

Style Number	594TS	596TS	598TS
Style Name	LAYERED EARTH 12X24 CC	LAYERED EARTH24X24CC	LAYERED EARTH HEX MOS CC
Construction	Porcelain	Porcelain	Porcelain
Tile Type	Floor Tile	Floor Tile	Floor Tile
Tile Size	11.81" x 23.62" 30 cm x 60 cm	23.62" x 23.62" 60 cm x 60 cm	12.6" x 11.02" 32 cm x 28 cm
Edges	Rectified	Rectified	Cut
Country Of Origin	Italy	Italy	Italy
Residential Warranty	1 Year Limited	1 Year Limited	1 Year Limited
Installation Area	Exteriors, Floors, Walls	Exteriors, Floors, Walls	Exteriors, Floors, Walls
Technical			
Breaking Strength	>= 250 lbs	>= 250 lbs	>= 250 lbs
Water Absorption %	≤ 0.50% (Impervious (Porcelain))	≤ 0.50% (Impervious (Porcelain))	≤ 0.50% (Impervious (Porcelain))
DCOF	>= 0.42	>= 0.42	>= 0.42
Shade & Texture Variation	V2	V2	V2

594TS



100 Ivory



120 Cream



500 Grey

>

596TS



100 Ivory



120 Cream



500 Grey

>

598TS



100 Ivory



120 Cream




500 Grey


>

Style Number	612TS	662TS
Style Name	LAYERED EARTH 24X48 CC	LAYERED EARTH BN CROSS CUT
Construction	Porcelain	Porcelain
Tile Type	Floor Tile	Trim
Tile Size	23.62" x 47.24" 60 cm x 120 cm	2.72" x 11.73" 6.9 cm x 29.8 cm
Edges	Rectified	Rectified
Country Of Origin	Italy	Italy
Residential Warranty	1 Year Limited	5 Years
Installation Area	Exteriors, Floors, Walls	
Technical		
Breaking Strength	>= 250 lbs	
Water Absorption %	≤ 0.50% (Impervious (Porcelain))	
DCOF	>= 0.42	
Shade & Texture Variation	V2	


612TS



100 Ivory



120 Cream



500 Grey

>

For Shaw Industries Tile/Stone installation instructions and Care/Maintenance guidelines, please contact Shaw Info Center by email at infocenter@shawinc.com, or by phone at 800-441-7429