



GE APPLIANCES
a Haier company

CustomerNet

GE® ENERGY STAR® Long Vent 7.8 cu. ft. Capacity Smart Electric Dryer with Sanitize Cycle Model# GFV55ESSNWW



- Long Vent - Up to 200 ft for ease of installation
- Built-in WiFi - Start, stop and monitor your laundry from anywhere while receiving real-time notifications and updates
- Quick Dry - Quickly dries items and small loads for families on the go
- 4 Way Venting - Easy-to-change venting options provide the ultimate installation flexibility to fit in your home
- Vent Sensor - Provides alerts when a restriction is detected in your dryer vent
- Sanitize Cycle - Sterilize clothing with elevated temperatures designed to kill common household bacteria
- Wrinkle Care - Prevents wrinkles by extending the tumble without heat
- Sensor Dry - Prevent over-drying and protect your clothing thanks to innovative dual thermistor technology, that continually monitors temperature and moisture

FEATURES

Reverse-a-Door	Yes
Additional Dryer Features	Damp Alert Front Serviceable LED Interior Light Removable Up-Front Lint Filter Vent Sensing ecoDry
Wrinkle Care Cycle	Yes
Dual Thermistors	Yes
Dryness Levels	Damp Dry Less Dry More Dry
Drum Type	Aluminized Drum
Front Serviceable	Yes
Long Vent Capability	Up to 200 feet
Additional Cycles	Delay Dry - up to 24 hours EcoDry My Settings Sanitize Small Load
Pedestal	Optional
Fuel Type	Electric
Additional Optional Cycles	Damp Alert Wrinkle Care
Moisture Sensor	Sensor Dry
Dryer Cycles	Bulky / Bedding Cottons Delicates Dewrinkle Mixed Loads Perm Press Quick Dry Sanitize Timed Dry Towels
Temperature Options	High/Medium/Low/Extra Low/No Heat
Number of Cycles	10
Product Type	Front Load Matching Stackable
Connected Capabilities	Amazon Alexa Google Home IFTTT Sonos The Google Assistant
Removable Up-Front Lint Filter	Yes with reminder light
Timed Dry	120 Minutes Less Time - More Time + Presets (10,20,40,60,90)
Heat Selections	5
Style	Front-Loading
Control Type	Capacitive Touch

- Damp Alert - Signals when delicate clothes reach the ideal dampness level for ironing or final air drying

	Power On/Off Rotary-Electronic w/LEDs Start/Pause
Flexible Installation	Undercounter, Stacked, Side-by-Side, Built-In
Dryer Control Features	Adjustable End-of-Cycle Signal Control Lock Delay Dry - Up to 24 hours Digital Cycle Countdown LED Display LED Indicators My Settings Remote Start
Energy Saving Option	Yes - Eco Dry
Exhaust Options	4-Way (Rear; Right; Left & Bottom)
WiFi Connect	Built-In
Leveling System	Adjustable Leveling Legs

Have more questions? Please contact 1-800-626-2000



GE APPLIANCES
a Haier company

CustomerNet

GE® ENERGY STAR® Long Vent 7.8 cu. ft. Capacity Smart Electric Dryer with Sanitize Cycle

Model# *GFV55ESSNWW*

APPROXIMATE DIMENSIONS(HxDxW)

- 39.75 H x 28 W x 32 D

CAPACITY

- Total Capacity (cubic feet) - 7.80cu ft

ECONOMICAL / QUIET

- Quiet Package - Quiet-By-Design

APPEARANCE

- Door Style - Reversible Door
See-Thru
- Handle Color - White
- Handle - Pocket Handle
- Color Appearance - White
- Installation - Power Cord Not Included
True32 Closet Depth
Undercounter, Stacked, Side-by-Side, Built-In, Pedestal
- Trim/Accents - Chrome/White Knob

WEIGHTS & DIMENSIONS

- Approximate Shipping Weight (lb) - 142lb
- Net Weight (lb) - 132lb
- Depth with Door Open 90° (in) - 54 1/2in
- Overall Height (in) - 39 3/4in
- Overall Depth (in) - 32in
- Overall Width (in) - 28in

POWER / RATINGS

- Volts/Watts/Amps - 120V/240V,5600W,24A,60Hz or
120V/208V,4400W,22A,60Hz
- Electrical Requirements - 120V/240V,5600W,24A,60Hz
or 120V/208V,4400W,22A,60Hz
- Amps - 24

ACCESSORIES

- Optional Side Vent Kit - GFA28DSVN
- Optional Dryer Rack Accessory - WE02X29449
- Optional Stacking Kit - GFA28KITN
- Optional Pedestal Accessory - GFP1528SNWW (Sold Separately)

WARRANTY

- Parts Warranty - Limited 1-year entire appliance
- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 1-year entire appliance

CERTIFICATIONS

- Claims & Certifications - ENERGY STAR® Qualified
ADA Compliant
California Prop 65
CEC Regulated
Produced In Our American Manufacturing Plants

Have more questions? Please contact 1-800-626-2000