



SANCTUARY OAK

Engineered



6006 Fireside

SANCTUARY OAK



	US Units	Metric Units
Style Number	SW714	
Construction	Engineered	
Species	Oak	
Nominal Overall Thickness	1/2"	12 mm
Nominal Width	6.38"	162.05 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	61 lbs	27.66 kg
SQFT per Carton	25.4 sq ft	2.35 sq m
SQFT per Pallet	990.6 sq ft	92.02 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
Ortho-Phthalates Free	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Year Commercial	
Regional Availability	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

Features

Find your sanctuary at home with this gorgeous oak hardwood from Shaw Floors. This style is part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH


Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH12
Flush Reducer



SORH2
*Overlap Reducer



SSH12
Flush Stairnose



SOSH2
*Overlap Stairnose



SCH12
Threshold / Carpet
Reducer



TMH78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary.
Contact the Shaw Information Center for additional details: 800-441-7429.




MADE IN THE USA


SANCTUARY OAK




Colors




1088 Serenity



1089 Haven



5093 Hearth



6006 Fireside