



Leighton II – RM905



COMPLETE SPECS

Style

Leighton II – RM905

Color

Mako Oak – 170

of Colors

8

Collection

Brand

Mohawk Hard Surface

Product Type

Resilient

Sub Product Type

Resilient Vinyl Tile And Plank

Installation Method

DESIGN

Gauge

Size

8" X 48"

Surface Appearance

Construction

Flex LVT

PERFORMANCE & SUSTAINABILITY

Wear Layer

12 mil

Technology Application

Locking System

Squared

Slip Resistance

Squareness

Classification

Size & Tolerance

Flexibility

Dimensional Stability

Residual Indentation

Resistance to Light

Resistance to Heat

Resistance to Chemicals

Smoke Density

| Non-Flame:

Critical Radiant Flux

Floor Score

Yes

Leed Certification

Recycled Content

WEIGHTS & MEASURES

Sq.Ft. / Carton

42.67

Sq.Ft. / Pallet

3242.92

Sq.Ft. / Truckload

360400

Pallets / Truckload

0

Weight / Carton

27.84

Weight / Pallet

2115.84

Weight / Truckload

42800.00

Carton Dimensions

Pallet Dimensions

W 40" X D 48"

Sq.Ft. / Piece

2.7

Pieces / Carton

16

COLORS



Nautica Piling Oak
370



Mako Oak
170



Loggerhead Oak
880



Sea Spray Oak
910



Sand Dollar Oak
220



Old Onyx Oak
977



Ida Cirrus Oak
970



Harbor Seal Oak
870