

### 36 INCH PROFESSIONAL ELECTRIC RANGE WITH TILT PANEL TOUCH CONTROL IN STAINLESS STEEL RSE36



**Product:** Gordon Ramsay by THOR Kitchen 36 Inch Professional Electric Range with Tilt Panel Touch Control in Stainless Steel **Model Number:** RSE36

TECHNICAL DETAILS		
Fuel Type	Electric	
Construction	Freestanding	
Burner Type	Radiant	
Type of Grate	N/A	
Watts	3,000 W	
Amperage	50A	
Volts	240V	
Frequency	60Hz	
Control Type	Knob / Touch Screen	
Panel light	Yes	
Plug Type	50 Amp 4-Prong	
Power Cord Length	US - Not Included (Canada Included)	

#### **FEATURES & BENEFITS**

- Tilt Panel Touch Control: A tilt panel touch control is an adjustable control panel that tilts for optimal viewing and ease of use.
- High Performance Burners: Featuring a minimum output of 100 watts for gentle warming and a maximum of 3,000 watts for high-intensity cooking.
- Radiant Burners: Radiant burners use electric heating elements beneath a smooth, ceramic glass surface to deliver even and consistent heat.
- White Projector Light on Panel: The panel is illuminated by a white projector light, ensuring easy visibility and a modern look.
- Hidden Bake Element: Hidden bake element is positioned below the oven floor, creating a smooth oven surface so spills are easy to clean without maneuvering around heating elements.
- **True Convection Fan:** For even heat distribution within the oven.
- Telescopic Racks: Telescopic racks use ball bearing rack guides for an effortless glide in and out of the oven and adjusts to fit different rack support levels
- Powerful Broil Element: The oven broiler features a 3,500 watts tube for quick and efficient broiling.
- Powerful Bake Element: The powerful bake element provides 3,000 watts of consistent heat for even baking.
- Adjustable 3-Inch Feet with Decorative Leg Cover: The range includes 3-inch adjustable feet with a square decorative cover for the front legs.
- Panoramic Viewing Window: Take a look inside the oven through the panoramic viewing window for a full, clear view of your dishes as they cook, allowing you to monitor progress without opening the door.

WARRANTY: 2 YEARS PARTS AND LABOR



# 36 INCH PROFESSIONAL ELECTRIC RANGE WITH TILT PANELTOUCH CONTROL IN STAINLESS STEELRSE36



BLACK RSE36-BLK



BLUE RSE36-BLU



BRONZE RSE36-BRZ



ROSE GOLD RSE36-RSG



Total Number Of Cooktop Elements5[1] Front Left Element3,000 W (1,500 W & 1,500 W)[2] Front Right Element3,000 W (1,800W & 1,200 W)[3] Rear Left Element1,200 W[4] Rear Center Element100 W[5] Rear Right Element1,200 W

OVEN			
Oven Capacity	6.0 cu. ft.		
Oven Control Features	Light on/ Off, Clock & Kitchen Timer, Time Cooking, Delay Start, Self clean,Control Lock Capability, Sabbath Mode,Temperature Probe C° or F° Programmable		
Oven Cooking Modes	Bake, Conv Bake, Roast, Conv Roast, Air Fry, Piz- za, Proof, Keep Warm, Fast Preheat, Dehydrate		
Bake Element Power	3,500W		
Broil Element Power	3,500W		
Convection	True Convection With 800 W Heating Element		
Oven Lights	Yes		
Oven Racks (Standard)	1		
Oven Racks (Telescopic)	1		
Baking Sheet Size	Fits 29" x 16" Baking Sheet		
Self Clean	Yes		
Sabbath Mode	Yes		
Air Fry	Yes		
Oven Internal Width	29 3/4"		
Oven Internal Depth	19 1/2''		
Oven Internal Height	18''		

#### thorkitchen.com | #chefinspired 🗗 🖸 🚺 F 🔀 🖗 in



## 36 INCH PROFESSIONAL ELECTRIC RANGE WITH TILT PANELTOUCH CONTROL IN STAINLESS STEELRSE36

PRODUCT DIMENSIONS	& WEIGHTS
Product Dimensions (WxDxH)	35 7/8" x 29 3/4" x 36"
Rubber Spacer Depth (Install On Back Panel)	3/4"
Product Height (From Bottom To Top Of Back Splash)	36"
Product Height (From Bottom To Top Of Side Panel)	36"
Product Depth (From Back Panel To Handle)	29"
Product Depth (From Back Panel To Bullnose)	27 1/2"
Product Depth (From Back Panel To Control Panel)	26 3/8"
Product Depth (From Back Panel To Side Panel Front)	24"
Cutout Dimensions (WxDxH)	36" x 24 3/4" x 36" - 39"
Adjustable Height	3" Max
Net Weight	231 lbs
Package Dimensions (WxDxH)	39" x 32" x 45 1/16"
Gross Weight	278 lbs

ACCESSORIES (INCLUDED)	
1 Standard Oven Rack	
1 Telescopic Rack	

1 Broiler Pan Set

29" 4/5 29" 3/10 28" 1/4 27" 1/5 24" 62".92





