



**GE APPLIANCES**  
a Haier company

*CustomerNet*

# GE Profile™ 7.8 cu. ft. Capacity Smart Front Load Gas Dryer with Steam and Sanitize Cycle

Model# PFD87GSSVWW



## FEATURES

Reverse-a-Door	Yes
Additional Dryer Features	Damp Alert Front Serviceable LED Interior Light Removable Up-Front Lint Filter Vent Sensing Y-connector, short and long steam hoses included ecoDry
Wrinkle Care Cycle	Yes
Dual Thermistors	Yes
Drum Type	Aluminized Drum
Dryness Levels	Damp Dry Extra Dry Less Dry More Dry
Communication	Washer Link
Front Serviceable	Yes
Additional Cycles	Air Fluff Delay Dry - up to 24 hours EcoDry Reduce Static Remote Start Steam Dewrinkle Steam Refresh Steam Sanitize
Steam Dewrinkle	Yes
Pedestal	Optional
Fuel Type	Gas
Additional Optional Cycles	Damp Alert Wrinkle Care
Moisture Sensor	Sensor Dry
Steam	Yes
Dryer Cycles	Bulky / Bedding Cottons Delicates Mixed Loads Perm Press Quick Dry Steam Dewrinkle Steam Refresh Steam Sanitize Timed Dry Towels Washer Link
Temperature Options	High/Medium/Low/Extra Low/No Heat
Number of Cycles	12
Product Type	Front Load Matching Stackable
Connected Capabilities	Amazon Alexa Google Home IFTTT Sonos The Google Assistant

- Steam Cycle - Refresh small loads and de-wrinkle larger loads with the power of steam.
- Washer Link - Wirelessly links your washer to your dryer so you only choose a setting once.
- Built-in WiFi - Start, stop and monitor your laundry from anywhere while receiving real-time notifications and updates.
- Steam Sanitize - Sterilize clothing with elevated temperatures designed to kill common household germs and bacteria, while using steam technology to reduce wrinkles and odors.
- Quick Dry - Quickly dries items and small loads for families on the go.
- Reduce Static - Prevent static cling with a gentle mist near the end of the cycle.
- Wrinkle Care - Prevents wrinkles by extending the tumble without heat.

- Damp Alert - Signals when delicate clothes reach the ideal dampness level for ironing or final air drying.
- Convenient 4-Way Venting - Flexible venting options allow venting from the bottom, rear, or either side with Kit GFA28DSVN.
- Reversible Door - Easily reverse your washer and dryer door for superior installation flexibility.
- Check Vent Notification - Receive a notification when the dryer vent needs to be cleaned, ensuring safe operation and optimal drying performance.

Removable Up-Front Lint Filter	Yes with reminder light
Timed Dry	120 Minutes Less Time - More Time + Presets (10,20,40,60,90)
Heat Selections	5
Style	Front-Loading
Control Type	Capacitive Touch Power On/Off Rotary-Electronic w/LEDs Start/Pause
Flexible Installation	Undercounter, Stacked, Side-by-Side, Built-In
SteamRefresh	
Dryer Control Features	Adjustable End-of-Cycle Signal Control Lock Delay Dry - Up to 24 hours Digital Cycle Countdown LED Display LED Indicators Remote Start
Energy Saving Option	Yes - Eco Dry
Exhaust Options	4-Way (Rear; Right; Left & Bottom)
WiFi Connect	Built-In
Leveling System	Adjustable Leveling Legs

*Have more questions? Please contact 1-800-626-2000*



**GE APPLIANCES**  
a Haier company

*CustomerNet*

# GE Profile™ 7.8 cu. ft. Capacity Smart Front Load Gas Dryer with Steam and Sanitize Cycle

Model# PFD87GSSVWW

---

## APPROXIMATE DIMENSIONS(HxDxW)

- 39.75 H x 28 W x 32 D

## CAPACITY

- Total Capacity (cubic feet) - 7.80cu ft

## ECONOMICAL / QUIET

- Venting Type - Up to 90 feet
- Quiet Package - Quiet-By-Design

## APPEARANCE

- Door Style - Reversible Door  
See-Thru
- Handle Color - White
- Handle - Pocket Handle
- Color Appearance - White
- Installation - Power Cord Included  
True32 Closet Depth  
Undercounter, Stacked, Side-by-Side, Built-In, Pedestal
- Trim/Accents - Chrome/Dark Knob

## WEIGHTS & DIMENSIONS

- Approximate Shipping Weight (lb) - 147lb
- Net Weight (lb) - 137lb
- Depth with Door Open 90° (in) - 54 1/2in
- Overall Height (in) - 39 3/4in
- Overall Depth (in) - 32in
- Overall Width (in) - 28in

## POWER / RATINGS

- Watts - 720
- Hertz - 60
- Gas (BTU/HR) - 16,000 Factory-equipped for Natural gas.
- Volts/Hertz/Amps - 120 V; 60 Hz; 6A
- Electrical Requirements - 120V
- Ignition Type - Intermittent Ignition

## ACCESSORIES

- LP Conversion Kit - WE25M87 (sold separately)
- Optional Side Vent Kit - GFA28DSVN
- Optional Dryer Rack Accessory - WE02X29449
- Optional Stacking Kit - GFA28KITN
- Optional Riser - GFR0728SNWW (Sold Separately)
- Optional Pedestal Accessory - GFP1528SNWW (Sold Separately)
- Inlet Hose - WH41X10207 (Sold Separately)

## WARRANTY

- Parts Warranty - Limited 1-year entire appliance

- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 1-year entire appliance

## **CERTIFICATIONS**

- Claims & Certifications - ENERGY STAR® Qualified  
ADA Compliant  
California Prop 65  
CEC Regulated  
Produced In Our American Manufacturing Plants

*Have more questions? Please contact 1-800-626-2000*