



Footpath 20 Glue Down – AH037



COMPLETE SPECS

Style

Footpath 20 Glue Down – AH037

Color

Prairie Wood – 960

of Colors

10

Collection

Footpath

Brand

Aladdin Commercial

Product Type

Resilient

Sub Product Type

Resilient Vinyl Tile And Plank

Installation Method

Glue Down

DESIGN

Gauge

2.5 mm

Size

7.5" X 52"

Surface Appearance

Construction

Luxury Vinyl Tile

PERFORMANCE & SUSTAINABILITY

Wear Layer

20 mil

Technology Application

Locking System

Slip Resistance

ASTM C1028 - Passes - Wet: greater than/equal to 0.5

Squareness

Classification

ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed

Size & Tolerance

Flexibility

ASTM F137 - Passes - 1" mandrel

Dimensional Stability

Residual Indentation

Resistance to Light

ASTM F1515 - Passes - $\Delta E < 8$

Resistance to Heat

ASTM E649 - Class 1 ($> 0.45 \text{ W/cm}^2$)

Resistance to Chemicals

ASTM F925 - Passes - No more than a slight change in surface dylling, surface attack or staining

Smoke Density

| Non-Flame: ASTM E662 Part A - Less than 450

Critical Radiant Flux**Floor Score**

FloorScore® Certified

Leed Certification**Recycled Content**

WEIGHTS & MEASURES

Sq.Ft. / Carton

36.22

Sq.Ft. / Pallet

2173.2

Sq.Ft. / Truckload

360400

Pallets / Truckload

0

Weight / Carton

30.42

Weight / Pallet

1825.20

Weight / Truckload

42800.00

Carton Dimensions

H 1.750" X W 8.060" X D 48.380"

Pallet Dimensions

W 40" X D 48"

Sq.Ft. / Piece

2.7

Pieces / Carton

13

COLORS



Quartz Stone
94



Autumn Gold Wood
87



Biloba Wood
220



Barnwood Wood
280



Amtico Wood
450



Charleston Wood
840



Prairie Wood
960



Dove Tail Wood
92



Burberry Wood
93



Silver Fox Wood
91