

MagSafe Magnet

Dash & Windshield mount

User Manual

www.themightymount.com

DIAGRAM



HOW TO USE MAGSAFE MAGNET MOUNT



1. Pass Fastener through rotating ball on the Adjustable Telescopic Neck.
2. Push the mount on to the base connector and tighten the fastener to fix to desired angle.
3. Put your MagSafe phone or case on the mount.


CAUTION

1. Do not install the holder where it will obstruct the driving view.
2. Periodically check the strength of the secure suction cup.
3. Do not operate phone and holder while driving.

NOTE:

The Magsafe Wireless Magnet is compatible with iPhone 13, iPhone 13 Pro, iPhone 13 Pro Max, iPhone 13 Mini, iPhone 12, iPhone 12 Pro, iPhone 12 Pro Max, and iPhone 12 Mini.

SECURE SUCTION CUP INSTALLATION





SECURE SUCTION CUP INSTALLATION

1. Select a location to install the holder and clean the area where secure suction cup will be placed.
2. Unlock the suction lever.
3. Peel out the protective clear sheet from the sticky gel pad.
4. Press the suction plate firmly against attaching position and press the lever to lock.
5. Check the strength of the mount.

Maintenance of Sticky Gel Pad

The sticky gel pad can be cleaned with water to maintain it's stickiness. Clean the gel pad and wait for it to dry. Ensure the stickiness has recovered after a couple of minutes.

HOW TO ADJUST ANGLE

