^	ACCESSORIES					
Temp Prol	Temp Probe					
Yes						
^	APPEARANCE					
All Available Colors		Handle/Knobs	Oven Door Feature	PrintProof™ Finish		
PrintProof® Stainless Steel		PrintProof® Stainless Steel	InstaView® & WideView™ Window	Yes		
^	CAPACITY					
Total Capa	Total Capacity					
4.7 cu.ft.	4.7 cu.ft.					
^	CONTROLS					
Automatic Safety Shut-Off		Control Type	Sabbath Mode			
yes		Backlit SmoothTouch® Glass Controls	Yes			
yes	DIMENSIONS/CLE		Yes			
		Glass Controls	Yes  Shipping Dimensions (WxHxD)	Shipping Weight (lbs)		
Cut-Out ( Standard 29 1/8": 5/8" x 29		Glass Controls  ARANCES/WEIGHT		Shipping Weight (lbs) 167 lbs		
Cut-Out ( Standard 29 1/8": 5/8" x 29 Flush(30 25")	(WxHxD) d(Min. 28 1/2" x x 24" Max. 28 9 3/16" x 24") /	Glass Controls  ARANCES/WEIGHT  Product (WxHxD)  29 3/4" x 29 7/16" x 23	Shipping Dimensions (WxHxD)			
Cut-Out ( Standard 29 1/8": 5/8" x 29 Flush(30 25")	(WxHxD) d(Min. 28 1/2" x x 24" Max. 28 9 3/16" x 24") / o" x 29 5/8" x	Glass Controls  ARANCES/WEIGHT  Product (WxHxD)  29 3/4" x 29 7/16" x 23	Shipping Dimensions (WxHxD)			
Cut-Out ( Standard 29 1/8" x 5/8" x 29 Flush(30 25")  Product V	(WxHxD) d(Min. 28 1/2" x x 24" Max. 28 9 3/16" x 24") / o" x 29 5/8" x	Glass Controls  ARANCES/WEIGHT  Product (WxHxD)  29 3/4" x 29 7/16" x 23 3/8"	Shipping Dimensions (WxHxD)			
Cut-Out ( Standard 29 1/8" x 5/8" x 29 Flush(30 25")  Product V 134 lbs	(WxHxD) d(Min. 28 1/2" x x 24" Max. 28 9 3/16" x 24") / " x 29 5/8" x  Weight (lbs)	Glass Controls  ARANCES/WEIGHT  Product (WxHxD)  29 3/4" x 29 7/16" x 23 3/8"	Shipping Dimensions (WxHxD)			
Cut-Out ( Standard 29 1/8"; 5/8" x 29 Flush(30 25")  Product V 134 lbs	(WxHxD) d(Min. 28 1/2" x x 24" Max. 28 9 3/16" x 24") / " x 29 5/8" x  Weight (lbs)	Glass Controls  ARANCES/WEIGHT  Product (WxHxD)  29 3/4" x 29 7/16" x 23 3/8"	Shipping Dimensions (WxHxD)			

OVEN FEATURES					
Bake Element	Broil Element	Convection (Watt)	Convection Conversion		
2500W	2,900W inner / 1,500W outer	2000W	Yes		
Convection Type	Oven Cleaning Type	Oven Modes	Variable broil		
True Convection	EasyClean <sup>®</sup> and Self Clean	Convection Bake / Convection Roast / Bake / Broil / Steam Bake / Steam Roast / Steam Sous-Vide / Air Fry / Frozen Meal / Warm / Proof / Favorite / Self Clean / EasyClean® / Descaling / Drying	Yes		
Variable cleaning time	Variable warm				
Yes	Yes				
↑ POWER/RATINGS					
Amp Rating at 240V	KW Rating at 240V	Energy Requirements			
25.4a	6.1 kw	120 / 240 VAC, 120 / 208 VAC			
↑ SUMMARY					
Self + EasyClean®	Series	Туре			
Yes	LG	Single Wall Oven			
▲ COOKING APPLIANCE THINQ® SMART FEATURES					
3rd Party Recipe App	Check & Control	SmartDiagnosis™	ThinQ® Smart Technology		
Sidechef	Yes	Yes	Yes		
	NAC EL Communición	3rd Party Connected Compatibi	ThinQ UP™		
ThinQ Care™	Wi-Fi Connectivity				
ThinQ Care™ Yes	Yes	Amazon Alexa, Google Assistant	Yes		

∧ WARRANTY/UPC		
Parts & Labor	UPC	

048231344302

Broil element pass

2

1 Year