


#### MODEL#


### FM79008-D&M


Questions?

GIVE US A CALL: 1-888-980-5122 MON-FRI 8:30AM - 5:30PM (PT)



### **TOOLS REQUIRED**







(Not Included)



2 - People Recommended

### **ASSEMBLY RATING**



EASY → DIFFICULT

The Assembly Rating is a 5-point system showing the level of effort needed to assemble a specific product.





### Thank you for your purchase!

We hope you enjoy this new addition to your home for many years to come.

Our commitment to providing quality products does not simply end when you purchase our product. We fully stand behind our products from start to finish. Our customer service department is available Monday – Friday 8:30 AM – 5:30 PM Pacific Time and can help with assembly questions as well as, if necessary, replacing damaged or missing parts. To help expedite our service, please have these assembly instructions readily available, along with your order receipt.



Consumer Hotline Toll-Free 1-888-980-5122



WEBSITE www.foagroup.com












Monday to Friday 8:30AM- 5:30PM (PT)



E-MAIL cs.ec@foagroup.com




**FurnitureOfAmerica** 



Are you missing anything?		Check out our Quick Tips!
Double-check all parts, hardware and accessories listed are all acccounted for.	ř	We recommend reviewing the pre-assembly nandouts. Even experts need a refresher now and hen!
Should we send any replacements?		Prep Time!
Are there any irregularities or flaws in the parts? We can send replacements!		Please review the assembly instructions and all diagrams prior to assembling.

# PRE ASSEMBLY INTRODUCTION

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.





### Teamwork

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.





### Suitable Location

Assembling near the area of the intended location is highly recommended.





### Sufficient Space

Make sure you have enough space to move around during the assembly.





#### **Avoid Scratches**

Use cardboard, blankets or a carpeted area while assembling furniture to prevent to prevent scratches and damages.





#### Flat Surface

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.

# **ASSEMBLY** AND CARE ADVICE



FAILURE TO FOLLOW THE GUIDELINES BELOW MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.



Position each part correctly and insert screws or bolts into their respective holes.



Use the appropriate hand tools or power tools for assembly. Select steps, such as tightening screws and/or bolts, may require hand tools to avoid causing damage during assembly.



Turn clockwise to tighten and only tighten when step is completed or when instructed to do so.



Save the instructions and store any supplied tools for later maintenance.



After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.


# **DRESSER & MIRROR**



ALLEN WRENCH

1pc

- Please keep instructions for future reference.
- Check the quantity and irregularity of parts and hardware before you start.



# **PARTS CENTER LEG DRESSER MIRROR** METAL LEGS MIRROR SUPPORT RAILS 1pc 4pcs 1pc 1pc 2pcs **HARDWARE** BOLTØ 5/16" x 1" LOCK WASHER Ø 5/16 \*\_ FLAT WASHER Ø 5/16 \*x19MM ALLEN WRENCH ANTITIP KIT 8pcs 1pc 8pcs 1pc

LOCK WASHER Ø 1/4 \_\_\_

8pcs


FLAT WASHER Ø 1/4 "x19MM


8pcs

BOLT Ø 1/4" x 1 1/2"

8pcs

# **EXPLODED VIEW**





# FM79008-D&M is packed in 2 cases

Carton	Disignation	Part		Hardware	
	Dresser	#1			# A x 1pc # B x 8pcs # C x 8pcs
FM79008-D	Metal legs	#2			# C x 8pcs # D x 8pcs # E x 1pc
	Center leg	#3			
FM79008-M	Mirror	#4			# F x 1pc
	Mirror Support rails	# 5			# H x 8pcs # I x 8pcs

1 . Part #1 x 1pc Part 2# x 4pcs Part 3# x 1pc Hardware # A x 1pc Hardware # B x 8pcs Hardware # C x 8pcs Hardware # D x 8pcs Take the leg box out of the drawer Align the Metal Legs (#2), Center leg (#3) to the bottom Dresser (#1). Secure by using Bolt (#B) with Lock Washer (#C) and Flat washer (#D) Allen wrench(#A).

## 2. Part #1 x 1pc

Part 2# x 4pcs

Part 3# x 1pc

Part 4# x 1pc


Part 5# x 2pcs

Hardware #Fx1pc

Hardware # G x 8pcs

Hardware # H x 8pcs


Hardware # I x 8pcs



Attach the Mirror(#4 )and Mirror Supports Rail (#5) to top Dresser (#1). Secure by using Bolt (#G) with Lock Washer (#H) and Flat washer (#I) Allen wrench(#F).

# 3. Hardware # E x 1pc


Use anti-tip kit to secure Dresser to the wall.



Lift, don't drag!

To avoid damage to product please always LIFT the product when transporting of adjusting the placement.

### Wall Mounting and Fixing



#### **EXPANSION WALL ANCHOR**

Our provided expansion wall anchors are only suitable for masonry walls, such as drywall, plaster or concrete, and are best for holding lightweight items or for anti-tip prevention. If you are unsure of the correct wall anchor to use with the product, please request professional guidance. liability for product damage or failure due to using the incorrect anchors will fall on the installer.




#### CHECK BEFORE PROCEEDING

Prior to drilling or hammering, please check for wires or pipes. We recommend using a stud finder to locate a stud, which will offer more appropriate resistance and hold more weight.

### QUICK TIPS


 If unsure of the proper size, always choose a larger screw and wall anchor.






Match the drill bit to the wall anchor and hole size.

 Only drill horizontally.
Do not force the drill or enlarge the hole for the wall anchor.





4. Take extra care when drilling into high walls or ceramic tiles. Wall anchors should be a tight fit for the hole. Never use wall anchors in ceilings.





We recommend a yearly check to see if the wall anchor or screw has loosened. If so, please remove the existing wall anchor and screw, and use a new anchor.